LED Blade

Product Description：

PIR Motion Sensor light

PIR motion sensor light is high smart technology, the appearance of the product is made of aluminum alloy and plastic. Using the advanced LED lighting technology and motion sensing technology, the product is beautiful, atmospheric and practical, create a warm and happy intelligent life for you.

Product feature

1. Using the high quality LEDs, the lighting is soft and comfortable.
2. PIR motion sensor switch, people come to the sensor range, when people left away, it will turn off after 18s.
3. Easy to install, no screws are required. It can be directly attached to the magnet for adsorption.
4. Three working modes: OFF/ON/AUTO Switch.


Product parameter

1.



Product model	6110-23CM	Switch mode	Human infrared induction
Size	235*40*14mm	Detecting distance	> 3M
power	1.4W	Detecting angle	120°
Color	Pure white/warm white	Delay time	18S(±2S)
Working currents	340mA	Lum	90LM
Battery	900mAH(Lithium battery)	Operating temperature	-20℃~50℃
Weight	110G	Ra	>80

Induction model: PIR motion sensor
Lithium battery: 900MA
Current: 340MA
Power: 1.4W
Luminance: 90LM
Color rendering index: >80
Delay time: 18s(±2s)
Lamp color: white/warm white
Detection distance: >3M
Detection angle: 120°
Using temperature: -20℃ ~ 50℃
Weight: 110g



Induction Model: PIR motion sensor

Lithium battery: 900mA

Current: 340MA

Power: 1.4W

Luminance: 90LM

Color rendering index: >80

Delay time: 18s(±2s)

Lamp color: white/warm white


Detection distance: >3M

Detection angle: 120°

Using temperature: -20℃~50℃

Weight: 110g

2.



Thickness: 14mm (include sensor)

Product model	6110-40CM	Switch mode	Human infrared induction
Size	405*40*14mm	Detecting distance	> 3M
power	3W	Detecting angle	120°
Color	Pure white/warm white	Delay time	18S(±2S)
Working currents	750mA	Lum	170LM
Battery	1500mAH(Lithium battery)	Operating temperature	-20℃~50℃
Weight	183G	Ra	>80

Induction model: PIR motion sensor
Lithium battery: 1500MA
Current: 750MA
Power: 3W
Luminance: 170LM
Color rendering index: >80
Delay time: 18s(±2s)
Lamp color: white/warm white
Detection distance: >3M
Detection angle: 120°
Using temperature: -20℃ ~50℃
Weight: 183g



Induction Model: PIR motion sensor

Lithium battery: 1500mA

Current: 750MA

Power: 3W

Luminance: 170LM

Color rendering index: >80

Delay time: 18s(±2s)

Lamp color: white/warm white

Detection distance: >3M

Detection angle: 120°

Using temperature: -20℃~50℃

Weight: 183g

3.



Product model	6110-60CM	Switch mode	Human infrared induction
Size	605*40*14mm	Detecting distance	> 3M
power	3.2W	Detecting angle	120°
Color	Pure white/warm white	Delay time	18S(±2S)
Working currents	800mA	Lum	220LM
Battery	2000mAH(Lithium battery)	Operating temperature	-20℃~50℃
Weight	245G	Ra	>80

Induction model: PIR motion sensor
Lithium battery: 2200MA
Current: 800MA
Power: 3.2W
Luminance: 220LM
Color rendering index: >80
Delay time: 18s(±2s)
Lamp color: white/warm white
Detection distance: >3M
Detection angle: 120°
Using temperature: -20℃ ~50℃
Weight: 245g



Induction Model: PIR motion sensor

Lithium battery: 2200mA

Current: 800MA

Power: 3.2W

Luminance: 220LM

Color rendering index: >80

Weight: 245g

Delay time: 18s(±2s)


Lamp color: white/warm white

Detection distance: >3M

Detection angle: 120°

Using temperature: -20℃~50℃


Lamp Switch and Function



LEDISON LIGHTING

Human body infrared intelligent sensor

Just turn on when motion is detected in darkness,
auto-off after 15 seconds without detecting any motions.



Installation:

Adsorption installation, simple and convenient




The left and right ends of the back of the lamp body are magnetic, and the double-sided adhesive tape is placed on the bottom.



Remove the backing paper from the top of the double-sided adhesive tape on the iron base and attach it to the desired installation.

LEDISON
LIGHTING

PRODUCT DETAILS



Infrared sensor

when people enter into the range, it will turn on.when people leave, it will turn off with delay.
Infrared+ Light sensor（Daytime insensitivity）


Aluminum sheet lamp body

One is the original aluminum gold lamp body
One is a polished electroplated glossy

PC Lampshade

Highly transmittance,not dazzling, the light is naturally.





Superior LED chip

High quality lamp bead,the light is bright not dazzling.

Lithium battery power supply

Use of USB charging interface charging, as long as there is a USB port can be charged.





Three-model function switch

OFF: Lights off
ON: Stay lit
AUTO: Infrared+ Light sensor



Application:

Bedroom, Stair, Cabinet, Drawer, Corridor

Other Pictures:



LEDISON
LIGHTING

PRODUCT APPLICATION



